Annex — all 63 vessel revisits, classified

Operations-HSSE WhatsApp group · 24 October 2025 to 22 September 2026 · 6,082 messages reviewed · every revisit read with surrounding context

ID	DATE	BERTH / VESSEL	REQUESTED BY	PERFORMED BY	WHAT WAS FOUND (VERBATIM WHERE QUOTED)	CATEGORY	SEVERITY	ON-BOARD SV COULD HANDLE?	REASON
R01	16/11/2025	B5 — MV Great Hope (timber)	Peter de Witte	Peter de Witte + HSE	Request only, no outcome recorded	Request only	None	Yes	Routine scheduled re-check
R02	17/11/2025	B5	Not stated	Peter de Witte + HSE chief officer	"Yes revisit done yesterday" — no findings stated	No finding	None	Yes	Nothing to act on
R03	18/11/2025	B4, B5, B6	Not stated	Ahmed Issa + Khalil + Safety Officer	"the vessels alongside the berth were inspected... Everything is going well."	No finding	None	Yes	All clear
R04	22/11/2025	B6 — MV Esen	Peter de Witte	Peter de Witte + HSE	Request only, no outcome recorded	Request only	None	Yes	SV can call HSE for the gas device
R05	01/12/2025	B6	Shift handover	Barry Owen Kitchen (GSV)	"B6 REVIST Completed No concerns to pass on We move on"	No finding	None	Yes	All clear
R06	06/12/2025	Not stated	Not stated	Abu Ali	"I found that there was a wrong translation" (on the VIC re-visit form)	Documentation	Low	Yes	Reporting a bad form translation needs no seniority
R07	09/12/2025	B6	Not stated	Barry Owen Kitchen	"B6 All working holds 1-2-4 All cleared"	No finding	None	Yes	All clear
R08	30/12/2025	B5	Handover instruction	Barry Owen Kitchen + HSSE	"seatings is poor-some windows are ok/some not. All climbs have oily ladders." → "LOP sent B5 vessel crane state"	Equipment defect	HIGH	NO	Letter of Protest + commercial decision to switch to shore cranes
R09	05/01/2026	B6 and B7	Barry Owen Kitchen	Barry Owen Kitchen	"RE_ VIST B 6 & 7 ALL GOOD"	No finding	None	Yes	All clear
R10	17/02/2026	B6	Barry Owen Kitchen	Barry Owen Kitchen	VIC file chased only, no outcome recorded	Request only	None	Yes	Chasing the paper file is admin
R11	26/02/2026	B7	Bjorn Goethals (management)	Never answered	"are revisits VIC done on B7 vessel ?" — no reply in the chat	Unanswered query	None	Unclear	No revisit recorded either way
R12	03/03/2026	B7	Not stated	Peter de Witte	"B7 revisit gangway safety we will replace by CSO gangway"	Access & egress	Medium	Yes	Swapping in the CSO gangway is standard terminal action
R13	25/03/2026	B6 and B7	Peter de Witte	Peter de Witte + HSE	Request only, no outcome recorded	Request only	None	Yes	Discretionary — "if you have time"
R14	15/04/2026	B25	Barry Owen Kitchen	Barry Owen Kitchen; HSE actioned	"please add some more green gas check signs Some are missing"	Housekeeping / signage	Low	Yes	HSE places the signage anyway
R15	13/05/2026	B25	Not stated	HSSE	"TBT done. Gas test signage is in place. PPE is being worn. Crane path is covered."	No finding	None	Yes	Confirms controls already in place
R16	14/05/2026	B7	Not stated	Barry Owen Kitchen	"I'm not climbing that gangway with extension I'm speaking with crew to remedy"	Access & egress	Medium	Yes	Precedent 29/12: SV2 instructed to challenge C/O, with HSE support
R17	14/05/2026	B7	Not stated	Abu Ali	"B7 I came to do revisit Please come to check" → vessel raised PTW for gangway repairs	Access & egress	Medium	Yes	Identify, photograph, call HSE
R18	28/05/2026	B7	Not stated	~ Michael	"Working hold 5 one gang. No issues on vessel."	No finding	None	Yes	All clear
R19	28/05/2026	B5	Not stated	~ Michael	"No access to man hold use man cage."	Access & egress	Low	Yes	Control already in place, instruction to the gang
R20	31/05/2026	B25	Not stated	~ Michael	"Walkway to be cleaned slippery of all the dust. No3 vessel crane, they are replacing the hoist wire"	Housekeeping	Medium	Yes	Cleaning is routine; crane wire already handled by HSSE the day before
R21	01/06/2026	B25	Not stated	~ Michael	"The gangway has been repositioned... crew still busy working on the hoist wires of Vessel Crane No. 3."	Access & egress	Low	Yes	Status and handover information
R22	02/06/2026	B7	Not stated	~ Michael	"vessel crane no3 side window has been damaged. We are awaiting confirmation from the crew regarding the time of the incident."	Equipment defect	Medium	NO	Establishing when and by whom damage occurred is a liability matter
R23	02/06/2026	B6	Not stated	~ Michael	"Currently working in Hold 4. No problems to report."	No finding	None	Yes	All clear
R24	03/06/2026	B7	Not stated	~ Michael	"The big hook is out of commission, so only the small hook may be used."	Equipment defect	Medium	Yes	Operational restriction to pass to the gang
R25	03/06/2026	B6	Not stated	~ Michael	"There are fall hazards in the holds... whether a safety net or lifeline should be installed"	Fall hazard	Medium	Yes	SV flags and calls HSSE; control decision sat with HSSE regardless
R26	03/06/2026	B25	Not stated	~ Michael	"Hold 3 has been opened and the gas test has been completed."	No finding	None	Yes	Status report
R27	04/06/2026	B6	Not stated	~ Michael	"Some damaged coils were identified on the vessel. The LOP has been sent out."	Cargo damage	HIGH	NO	Issuing a Letter of Protest is a senior / commercial action
R28	04/06/2026	B7	Not stated	~ Michael	"No issues reported on the vessel."	No finding	None	Yes	All clear
R29	04/06/2026	B25	Not stated	~ Michael	"Working hold 3 and 4. Damage bags in hold 2."	Cargo damage	Low	Yes	Damaged-bag observation is routine tally / ops
R30	07/06/2026	B25	Not stated	~ Michael	"Currently working hold 3 No problems on the vessel to report."	No finding	None	Yes	All clear
R31	07/06/2026	B6	Not stated	~ Michael	"We are working in hold 1 and 5. No problems to repot on the vessel."	No finding	None	Yes	All clear

ID	DATE	BERTH / VESSEL	REQUESTED BY	PERFORMED BY	WHAT WAS FOUND (VERBATIM WHERE QUOTED)	CATEGORY	SEVERITY	ON-BOARD SV COULD HANDLE?	REASON
R32	07/06/2026	B7	Not stated	~ Michael	"Currently working in Hold 2... No problems to report on the vessel."	No finding	None	Yes	All clear
R33	07/06/2026	B5	Not stated	~ Michael	"The quayside walkway is obstructed with dunnage and slings. Please use the waterside walkway"	Access & egress	Low	Yes	Classic housekeeping / route re-direction
R34	08/06/2026	B25	Not stated	~ Michael	"Working hold 2 no problems on the vessel to report."	No finding	None	Yes	All clear
R35	08/06/2026	B6	Not stated	~ Michael	"Working hold 5 and 1. No problems on the vessel to report."	No finding	None	Yes	All clear
R36	09/06/2026	B7	Not stated	~ Michael	"Working hold 2 and 3 discharging coils. No problems to report on vessel."	No finding	None	Yes	All clear
R37	09/06/2026	B25	Not stated	~ Michael	"Vessel crane 2 and 4 new fans replaced. No other problems on vessel."	Equipment (already closed out)	Low	Yes	Confirming a completed repair
R38	10/06/2026	B6	Not stated	~ Michael	"No problems on vessel working hold 5 and 3"	No finding	None	Yes	All clear
R39	10/06/2026	B25	Not stated	~ Michael	"No problems on vessel to report. Working hold 3 and 5"	No finding	None	Yes	All clear
R40	14/06/2026	B7	Not stated	~ Michael	"Fall hazards have been identified inside the vessel... rotate personnel regularly, ensure everyone remains alert and hydrated."	Fall hazard / heat	Medium	Yes	Rotation, TBT and hydration are SV-level controls
R41	14/06/2026	B6	Not stated	~ Michael	"Working hold 2 and 3 no problems to report."	No finding	None	Yes	All clear
R42	14/06/2026	B25	Not stated	~ Michael	"Working hold 2 and 4. No problems on vessel."	No finding	None	Yes	All clear
R43	15/06/2026	B7	Not stated	~ Michael	"No issues or concerns to report on the vessel."	No finding	None	Yes	All clear
R44	15/06/2026	B25	Not stated	~ Michael	"concern regarding the steel bench. Due to direct sunlight exposure, it is likely to become very hot"	Welfare (quayside)	Low	Yes	Two others raised the same point independently the next day
R45	16/06/2026	B7	Not stated	~ Michael	"Working hold 4. No problems on vessel to report."	No finding	None	Yes	All clear
R46	16/06/2026	B6	Not stated	~ Michael	"Working hold 3 and 4. No problems on vessel to report."	No finding	None	Yes	All clear
R47	16/06/2026	B25	Not stated	~ Michael	"Working hold 2 and 5... No problems on vessel to report."	No finding	None	Yes	All clear
R48	17/06/2026	B7	Not stated	~ Michael	"There appears to be some damaged cargo lower in the hold. We will assess the extent once we reach that area."	Cargo damage	Low	Yes	Observation only, no action taken yet
R49	17/06/2026	B4	Not stated	~ Michael	"Working hold 1. No problems to report on vessel."	No finding	None	Yes	All clear
R50	29/06/2026	B25	~ Jamie	~ Michael	"The VIC has been completed. I was referring to a re-visit to the vessel." — clarification	Clarification	None	Yes	No finding
R51	29/06/2026	B7	Not stated	~ Michael	"There are no issues or problems on the vessel to report at this time."	No finding	None	Yes	Cargo status report
R52	03/07/2026	B7	Not stated	~ Michael	"Starting hold 3 after gas test... No problems on vessel to report."	No finding	None	Yes	All clear
R53	03/07/2026	B6	Not stated	~ Michael	"Working hold 1 and 5 No problems on vessel to report."	No finding	None	Yes	All clear
R54	04/07/2026	B25	Not stated (night shift 02:40)	Barry Owen Kitchen	"Need gas testing before entry Call HSE to support CSO gangway without netting has been temporarily fitted"	Access & egress / gas	Medium	Yes	Passing instructions and calling HSE is SV work
R55	04/07/2026	B25	Not stated	~ Michael	"Net fitted on gangway it is safe to use... challenges on the startup of crane 2 and 4. Both cranes working now."	Equipment (self-resolved)	Low	Yes	Both cranes already working; delay recording is shift admin
R56	04/07/2026	B7	Not stated	~ Michael	"Vessel crane 1 can not be used. Please use shore crane when cleaning hold 1."	Equipment defect	Medium	Unclear	Safety call is SV-level, shore-crane substitution has a cost angle
R57	04/07/2026	B6	Not stated	~ Michael	"Loading hold 1 and 5 No problems on vessel to report."	No finding	None	Yes	All clear
R58	12/07/2026	B7	Not stated	~ Michael	"Adjusting gangway to close to the edge."	Access & egress	Low	Yes	Routine gangway adjustment
R59	12/07/2026	B6	Not stated	~ Michael	"Working hold 2 and 4 No problems to report on the vessel."	No finding	None	Yes	All clear
R60	12/07/2026	B25	Not stated	~ Michael	"The 2 new shelters are waiting on fans and generator... No problems to report on the vessel."	Welfare (facilities)	Low	Yes	Vessel itself clear; shelter fit-out is a facilities item
R61	06/08/2026	B25	~ Jamie	~ Michael	HSE: worker "felt fatigued... no juices or electrolyte drinks available. JUST WATER" — Michael: "there is rehydrate for the guys at B25"	Welfare / heat stress	Medium	Yes	Checking rehydration stock at start of shift is a shift-supervisor task
R62	12/08/2026	Not stated	Steven Gallagher	Not stated	"FYI CSO will need to conduct the VIC and revisits accordingly."	Process statement	None	Unclear	States the duty sits with CSO; does not name a role
R63	21/09/2026	B7	Not stated	~ Michael	"All decks need to be cleaned before opening holds... then notify HSE to come and do a gas test."	Gas / housekeeping	Low	Yes	Coordinating cleaning and calling HSE is SV work

Severity assigned conservatively: HIGH only where a Letter of Protest was issued or work was stopped. "Request only" means the revisit was asked for but no outcome was ever posted in the group. Quotation marks indicate the wording is taken verbatim from the chat, including original spelling. Where the chat does not record something, the cell reads "Not stated" rather than an assumption.